EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	(("6,539,380") or ("6,115,819")).PN.	US-PGPUB; USPAT	OR	OFF	2007/07/24 23:00
S2	1882	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/31 21:08
S3	225	S2 and (protected near4 (address memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/24 23:01
S4	2	("5787367" | "5844986").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/07/24 23:03
S5	6	("6757832").URPN.	USPAT	OR	ON	2007/07/24 23:03
S6	1	("20040255145").PN.	US-PGPUB; USPAT	OR	OFF	2007/08/31 20:10
S7	1943	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/01 12:38
S8	96	S7 and (key adj store)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 21:13
S9	0	S7 and single adj use near4 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 21:13
S10	190	S7 and (remov$3 delet$3 destroy$3) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 23:33
S11	23	S7 and (remov$3 delet$3 destroy$3) near3 key and key adj store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:16
S12	18	("4135240" | "4506329" | "4590552" | "4884211" | "4954982" | "5146565" | "5187790" | "5280527" | "5500517" | "5566327" | "5581700" | "5719950" | "5724578" | "5805719" | "5936221" | "6040622" | "6147860" | "6240493").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/31 22:29

S13	1	("6539380").URPN.	USPAT	OR	ON	2007/08/31 22:31
S14	6	("6115819").URPN.	USPAT	OR	ON	2007/08/31 22:32
S15	1	("7194092").URPN.	USPAT	OR	ON	2007/08/31 22:32
S16	109	"20020007452" | "20020069365" | "20020107803" | "20020120936" | "20020152173" | "4827508" | "4969189" | "4977594" | "5007082" | "5023907" | "5050213" | "5140634" | "5276311" | "5335334" | "5349643" | "5410598" | "5473690" | "5473692" | "5491827" | "5544246" | "5557518" | "5557765" | "5623637" | "5654746" | "5664016" | "5671280" | "5721781" | "5745886" | "5757919" | "5796824" | "5802592" | "5812662" | "5812980" | "5841869" | "5860099" | "5872847" | "5892900" | "5892902" | "5892904" | "5910987" | "5915019" | "5917912" | "5919257" | "5920861" | "5933498" | "5940504" | "5943422" | "5944821" | "5949876" | "5953502" | "5958050" | "5963980" | "5974546" | "5982891" | "5991399" | "5991876" | "6006332" | "6009274" | "6009401" | "6026166" | "6032257" | "6038551" | "6073124" | "6092189" | "6105137" | "6112181" | "6118873" | "6138119" | "6148083" | "6148387" | "6148402" | "6157721" | "6175917" | "6185678" | "6185683" | "6189100" | "6192473" | "6212636" | "6223284" | "6229894" | "6230285" | "6237786" | "6240185" | "6253193" | "6263431" | "6272629" | "6292569" | "6327652" | "6327660" | "6330588" | "6338139" | "6341373" | "6363486" | "6363488" | "6367012" | "6381741" | "6389402" |	US-PGPUB; USPAT; USOCR	OR	ON	2007/08/31 22:37

		"6389537" | "6427140" | "6449367" | "6477252" | "6477648" | "6480961" | "6560706" | "6609199" | "6640304" | "6735696" | "6820063" | "7079649"). PN.				
S17	336	(713/190).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/08/31 23:58
S18	23	S17 and (remov$3 delet $3 destroy$3) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/31 23:33
S19	1	("20020174352").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 00:07
S20	1	("5751949").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 00:08
S21	43	key adj store same (file near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 00:08
S22	4	("20020071556" | "5931947" | "6249866" | "6678700").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 02:14
S23	14	protected near3 memory near3 (address$2 location) and key adj store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:22
S24	2	protected near3 memory same key adj store same memory adj access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:23
S25	2	protected near3 memory same key adj store and memory adj access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:23
S26	4375	((secure$1 protected) near3 memory).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:24
S27	441	((secure$1 protected) near3 memory and key). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:25

S28	386	((protect$3) near3 memory and key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 02:26
S29	70	((protect$3) near3 memory and key).ab.	US-PGPUB; USPAT	OR	ON	2007/09/01 02:26
S30	34	("4038645").URPN.	USPAT	OR	ON	2007/09/01 02:27
S31	1	("6578122").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 12:38
S32	1	("6539380").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 12:38
S33	105	(713/192).CCLS.	USPAT	OR	OFF	2007/09/01 12:39
S34	1074	(711/163).CCLS.	USPAT	OR	OFF	2007/09/01 12:40
S35	1	S34 and (infiniband).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 12:40
S36	159	infiniband.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/01 12:50
S37	1	("20020124148").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 22:05
S38	1	("5751949").PN.	US-PGPUB; USPAT	OR	OFF	2007/09/01 22:06
S39	5	("5574849" | "5684993" | "5915088" | "6163834" | "6349380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:12
S40	5	("5574849" | "5684993" | "5915088" | "6163834" | "6349380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:12
S41	5	("5574849" | "5684993" | "5915088" | "6163834" | "6349380").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:12
S42	6	("6578122").URPN.	USPAT	OR	ON	2007/09/01 22:13
S43	10	("20020078271" | "20020124117" | "20020124148" | "20020178339" | "20020184392" | "20030046505" | "6578122" | "6601148" | "6658521" | "6691217").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/01 22:14

S44	19	(protected adj memory and unprotected adj memory).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/15 15:40
S45	18	("4135240" | "4506329" | "4590552" | "4884211" | "4954982" | "5146565" | "5187790" | "5280527" | "5500517" | "5566327" | "5581700" | "5719950" | "5724578" | "5805719" | "5936221" | "6040622" | "6147860" | "6240493"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:45
S46	124	(read same write same command) same protected adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:49
S47	159	(read same write same command) same (secure protected) adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:50
S48	2	(read same write same command) same (secure protected) adj memory same (unsecure unprotected) adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 15:59
S49	9	(read same write) same (secure protected) adj memory same (unsecure unprotected) adj memory	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 16:00
S50	24	("4388695").URPN.	USPAT	OR	ON	2008/05/15 17:15
S51	415	(read same write) same (secure protected) same (unsecure unprotected)	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/15 17:19
S52	197	(read same write) same (secure protected) same (unsecure unprotected)	USPAT	OR	ON	2008/05/15 17:20
S53	31	("5628023").URPN.	USPAT	OR	ON	2008/05/15 17:42
S54	671	(overwrite over adj write write adj over) with (remov$3 terminat$3 delet $3 unaccessible)	USPAT	OR	ON	2008/05/15 18:10
S55	27	(software program application) with update same memory with protection	USPAT	OR	ON	2008/05/15 22:13
S56	8	(software program application) with update same memory with protection and wireless	USPAT	OR	ON	2008/05/15 22:13

S57	16	(software program application) with update same memory with protect $3 and wireless not S56	USPAT	OR	ON	2008/05/15 22:19
S58	1	("6976163").PN.	US-PGPUB; USPAT	OR	OFF	2008/05/15 22:32
S59	2287	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/05/17 03:22
S60	36	S59 and (protected near4 (address memory)) and (@pd > "20070902")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 03:22
S61	117	S59 and (protected near4 (address memory)) same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/17 03:23
S62	27	"6,968,461" "20020032871" "20020095492" "20021116627" "20030233328" "20040059811" "20040205135" "2004177120" "20050021738" "20060036727"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/18 23:09
S63	1	("5991778").PN.	US-PGPUB; USPAT	OR	OFF	2008/10/15 20:24
S64	296	delet$3 with key same (over near2 write overwrit $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:26
S65	142	delet$3 with key with (over near2 write overwrit $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:26
S66	2459	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/15 20:38
S67	393	S66 and ((secure protected) near2 (address memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:38
S68	24	S66 and ((secure protected) near2 (address memory)) and key with (over near2 write overwrit $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/15 20:39

S69	2	(memory and protect$3). ti. and chow-jerry.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:16
S70	2467	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/10/22 15:17
S71	2	S70 and ((secure protected) near2 (address memory)) and token with (over near2 write overwrit $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:17
S72	4	S70 and token with (over near2 write overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:18
S73	13	("4817140" | "5457748" | "5513260" | "5563947" | "5596639" | "5610981" | "5677952" | "5754648" | "5754649" | "5815577" | "5870468" | "6314409" | "6351813").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 15:33
S74	1	("5457748").PN.	US-PGPUB; USPAT	OR	OFF	2008/10/22 15:36
S75	17	("4605820" | "4723283" | "4849927" | "4888802" | "4924513" | "4926475" | "4934846" | "4965828" | "5008936" | "5081675" | "5131040" | "5150412" | "5222136" | "5241597" | "5249227" | "5363447" | "5412721").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 15:36
S76	2	S75 and (overwrite over adj write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:37
S77	2	("4965828" | "5131040"). PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 15:38
S78	8	S70 and ((secure protected) near2 (address memory)) and (request command) with (over near2 write overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 15:40
S79	2478	(713/193).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/02 17:58

S80	28	S79 and (request command) with (over near2 write overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 17:58
S81	114	(delet$3 destroy$3) near3 (request command) with (over near2 write overwrit $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:04
S82	2	(delet$3 destroy$3) near3 (token) with (over near2 write overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:21
S83	144	(token) with (over near2 write overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:23
S84	30	(request command) with (over near2 write overwrit $3) near3 key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 18:33
S85	185	(portion part) near3 (overwrit$4 over adj writ $4) with (delet$3 destroy $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:13
S86	188	(portion part$2) near3 (overwrit$4 over adj writ $4) with (delet$3 destroy $3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:13
S87	0	(delet$3 destroy$3) near3 (request command) with (scrub$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:24
S88	310	(request command) with (scrub$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:24
S89	10382	(request command) with (erase$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:26

S90	5020	(request command) near2 (erase$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:26
S91	324	(request command) near2 (erase$2) with key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:26
S92	135	(request command) near2 (erase$2) with secur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:27
S93	147	(ram volatile) near4 (erase $2 overwrit$3) with secur $3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:38
S94	246	(ram volatile) near4 (erase $2 overwrit$3) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:38
S95	4	overwrit$3 with key with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:45
S96	4	overwrit$4 with key with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:45
S97	96	overwrit$4 with prevent $3 with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:46
S98	10	eras$3 with key with prevent$3 with leakage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:47
S99	17	eras$3 with key with prevent$3 with leak$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:47

S100	770	(delet$3 overwrit$3 eras $3) with prevent$3 near3 leak$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:48
S101	71	(delet$3 overwrit$3 eras $3) with prevent$3 near3 leak$3 same (secur$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:48
S102	0	(delet$3 overwrit$3 eras $3) with prevent$3 near3 leak$3 same (replay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:50
S103	2	(delet$3 overwrit$3 eras $3) with leak$3 same (replay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:50
S104	73	(delet$3 overwrit$3 eras $3) with prevent$3 same (replay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:51
S105	75775	(delet$3 overwrit$3 eras $3) with overwrit$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:54
S106	6500	(eras$3) with overwrit$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:54
S107	123	(eras$3) with overwrit$3 with secur$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 20:54
S108	48	(delet$3 overwrit$3 eras $3 expung$3) with prevent$3 with (replay$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:00
S109	2	(delet$3 overwrit$3 eras $3 expung$3) with prevent$3 with (snif$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:01

S110	631	(delet$3 overwrit$3 eras$3 expung$3) with prevent$3 with (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:01
S111	488	(delet$3 overwrit$3 eras$3 expung$3) with prevent$3 near3 (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:01
S112	172	(delet$3 overwrit$3 eras$3 expung$3) with prevent$3 near3 (unauthoriz$4)	USPAT	OR	ON	2008/11/02 21:02
S113	18	(delet$3 overwrit$3 eras$3 expung$3) near3 key with prevent$3 near3 (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:12
S114	23	(delet$3 overwrit$3 eras$3 expung$3) near3 key with prevent$3 with (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:12
S115	6	(delet$3 overwrit$3 eras$3 expung$3) near3 (token ticket command key) with prevent$3 with (replay$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:22
S116	6	(delet$3 overwrit$3 eras$3 expung$3) near4 (token ticket command key) with prevent$3 with (replay$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:22
S117	32	(delet$3 overwrit$3 eras$3 expung$3) near4 (token ticket command key) with prevent$3 with (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:24
S118	1	(delet$3 overwrit$3 eras$3 expung$3) near7 (token) with prevent$3 with (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:28
S119	3	(delet$3 overwrit$3 eras$3 expung$3) near4 (index identifier) with prevent$3 with (replay$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:30
S120	2	(delet$3 overwrit$3 eras$3 expung$3) near4 (id) with prevent$3 with (replay$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:49

S121	52	(delet$3 overwrit$3 eras$3 expung$3) near4 (number value) with prevent$3 with (unauthoriz$4 replay$3 reuse access$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:51
S122	60	(delet$3 overwrit$3 eras$3 expung$3) near4 (number value index) with prevent$3 with (unauthoriz$4 replay$3 reuse access$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:51
S123	122	(delet$3 overwrit$3 eras$3 expung$3) near4 (index identifier) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 21:55
S124	2051767	(delet$3 overwrit$3 eras$3 expung$3) near4 (key) with prevent$3 (access reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:01
S125	37	(delet$3 overwrit$3 eras$3 expung$3) near4 (key) with prevent$3 near3 (access reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:01
S126	5	(delet$3 overwrit$3 eras$3 expung$3) near4 (address) with prevent$3 near3(unauthoriz$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:03
S127	22	(delet$3 overwrit$3 eras$3 expung$3) near4 (key) with prevent$3 near3 (unauthoriz$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:06
S128	0	(delet$3 overwrit$3 eras$3 expung$3) near4 (passport) with prevent$3 near3 (unauthoriz$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:09
S129	1	(delet$3 overwrit$3 eras$3 expung$3) near4 (pointer) with prevent$3 near3 (unauthoriz$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:09
S130	12	(delet$3 overwrit$3 eras$3 expung$3 destroy removv$3) near4 (identifier locator) with prevent$3 near3 (unauthoriz$3 reuse)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:12

S131	132	(delet$3 overwrit$3 eras$3 expung$3 destroy remov$3) near4 (identifier locator) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:13
S132	164	(delet$3 overwrit$3 eras$3 expung$3 destroy remov$3) near4 (token) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:17
S133	477	(delet$3 overwrit$3 eras$3 expung$3 destroy remov$3) near4 (command) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:22
S134	4	(delet$3 overwrit$3 eras$3 expung$3 destroy remov$3) near4 (command) with prevent$3 near4 (unauthoriz$4 replay$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:22
S135	571	(delet$3 overwrit$3 eras$3 expung$3 destroy remov$3) near4 (location memory address) adj (identifier id key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/02 22:30
S136	522	(delet$3 overwrit$3 eras$3 expung$3 destroy remov$3) near4 (location memory address) adj (identifier id key)	US-PGPUB; USPAT	OR	ON	2008/11/02 22:30
S137	451	(delet$3 overwrit$3 eras$3 expung$3 destroy) near4 (location memory address) adj (identifier id key)	US-PGPUB; USPAT	OR	ON	2008/11/02 22:31
S138	0	(delet$3 overwrit$3 eras$3 expung$3 destroy) near4 (location memory address) adj (identifier id key) near3 immediately	US-PGPUB; USPAT	OR	ON	2008/11/02 22:37
S139	572	(delet$3 overwrit$3 eras$3 expung$3 destroy) with replay	US-PGPUB; USPAT	OR	ON	2008/11/02 22:39
S140	7	(delet$3 overwrit$3 eras$3 expung$3 destroy) with prevent near4 replay	US-PGPUB; USPAT	OR	ON	2008/11/02 22:40
S141	89	(delet$3 overwrit$3 eras$3 expung$3 destroy) near3 (location adj (token identifier address))	US-PGPUB; USPAT	OR	ON	2008/11/02 22:47

S142	5	(delet$3 overwrit$3 eras $3 expung$3 destroy) near3 (location adj (key))	US-PGPUB; USPAT	OR	ON	2008/11/02 22:50
S143	28	(overwrit$3) near3 (volatile ram) with prevent	US-PGPUB; USPAT	OR	ON	2008/11/02 22:52
S144	45	(overwrit$3 delet$3) with (token key identifier) with inaccessible	US-PGPUB; USPAT	OR	ON	2008/11/02 22:55
S145	4852	(delet$3 overwrit$3 eras $3 expung$3 destroy) near3 ((token identifier address key)) with (after used then)	US-PGPUB; USPAT	OR	ON	2008/11/02 23:01
S146	96	(delet$3 overwrit$3 eras $3 expung$3 destroy) near3 (instruction) with (prevent)	US-PGPUB; USPAT	OR	ON	2008/11/02 23:04
S147	63	(delet$3 overwrit$3 eras $3 expung$3 destroy) near4 (location memory address) adj (identifier id key) and ("713"/$$$.ccls. "380"/$$$.ccls.)	US-PGPUB; USPAT	OR	ON	2008/11/02 23:08
S148	1336	(726/22).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/03 10:05
S149	31	S148 and (overwrit$3 eras $3) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:06
S150	37	S148 and (delet$3) with prevent$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:12
S151	1815	(726/26).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/11/03 10:14
S152	88	S151 and (overwrit$3 eras $3 delet$3) with prevent $3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 10:15
S153	82	de-allocat$3 same (over- writ$3 overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:03
S154	275	(deallocat$3 de-allocat$3) same (over-writ$3 overwrit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 11:03

S155	266	(deallocat$3 de-allocat$3) same (over-writ$3 overwrit$3)	US-PGPUB; USPAT	OR	ON	2008/11/03 11:04
S156	42	(over-writ$3 overwrit$3) near4 prevent$3 near3 unauthoriz$3	US-PGPUB; USPAT	OR	ON	2008/11/03 11:36
S157	3792	(over-writ$3 overwrit$3) near4 prevent$3	US-PGPUB; USPAT	OR	ON	2008/11/03 11:38
S158	25	(over-writ$3 overwrit$3) near4 prevent$3 and (S148 S151)	US-PGPUB; USPAT	OR	ON	2008/11/03 11:38

11/5/2008 8:26:19 PM
C:\Documents and Settings\jkim\My Documents\EAST\Workspaces\10813003.wsp